

Audio

Passive Speakers

Void Arcline 8

Dual 8" Line Array Element
 Power Handling: LF 500W AES, HMF 500W AES
 2 x 1.4" compression drivers,
 2 x 8" mid drivers with phase device,
 2 x 8" horn loaded low frequency drivers
 Dispersion: 110°H x 12°V



Void Air Motion

Sculpted 3 way Mid High Speaker enclosure
 Power Handling:
 1 x 12" LF,
 1 x 8" MF,
 1x 1.5" HF compression driver
 Dispersion: 60°H x 50°V



Void Venu 12

2 Way passive speaker Box
 Power Handling: 400W AES
 1 x 12" LF,
 1 x 1" HF compression driver
 Dispersion: 90°-40°H x 60°V rotatable



Void Arcline X

Double 15" Horn Loaded Low Frequency Enclosure
 Power Handling 1500W AES
 2 x 15" LF
 Dispersion: Array Dependant



Void Stasys X V2

Double 15" Horn Loaded Low Frequency Enclosure
 Power Handling 3200W AES
 2 x 18" LF
 Dispersion: Array dependent





Audio

Amplifiers

Void Bias Q2

4 Channel Power Amp with DSP & Dante

Output: 1500W @ 2Ω, 1200W @ 4Ω, 1200W @ 8 Ω

Output bridged: 3000 W @ 4 Ω, 2400 W @ 8 Ω



Void Bias VQ

4 Channel Power Amp with DSP

Output: 1250W @ 4Ω, 750W @ 8 Ω

Output bridged: 2500 W @ 8 Ω



Void Bias V9

4 Channel Power Amp with DSP

Output: 1500W @ 2Ω, 1200W @ 4Ω, 1200W @ 8 Ω

Output bridged: 3000 W @ 4 Ω, 2500 W @ 8 Ω



Powersoft M20D HDSP+ETH

2 Channel Power Amp with DSP

Output: 1250W @ 4Ω, 750W @ 8 Ω

Output bridged: 2500 W @ 8 Ω



Powered Speakers

QSC K10.2

Powered 10" 2 way Speaker

Power Handling Peak: 1800 W (LF), 225 W (HF)

1 x 10" LF

1 x 1.4" HF

Dispersion: 90° Asymmetric



EV ETX-15SP

15" Powered Subwoofer

Power Handling 1800W

1 x 15" LF

Dispersion: Array dependent



Audio

Digital Mixers

Midas M32

Digital Console for Live and Studio
40 Input-Channels,
32 Midas Microphone Preamplifiers
25 Mix Buses



Midas M32R

Digital Console for Live and Studio
40 Input-Channels,
16 Midas Microphone Preamplifiers
25 Mix Buses



Midas DL32

32 Input, 16 Output Stage Box
32 Midas Microphone Preamplifiers,
ULTRANET and ADAT Interfaces



Analogue Mixers

Midas DM16

16 Input Analog Live and Studio Mixer
12 Midas Microphone Preamplifiers



Audio

Microphones (Wired)

Shure Beta 58A

Dynamic Handheld microphone
Super Cardioid polar pattern



Shure SM 58

Dynamic Handheld microphone
Cardioid polar pattern



Shure SM57

Dynamic instrument microphone
Cardioid polar pattern



Shure Beta 52A

Dynamic Low frequency Instrument microphone
Super Cardioid polar pattern



Sennheiser e945

Dynamic Handheld microphone
Super Cardioid polar pattern



Sennheiser e906

Dynamic instrument microphone
Super Cardioid polar pattern
Selectable presence filter



Sennheiser e904

Dynamic percussion microphone
Cardioid polar pattern



Sennheiser e902

Dynamic bass instrument microphone
Cardioid polar pattern



Audio

Microphones (Wired)

Lewitt Beatkit Pro

7 piece Drum Microphone kit
Includes Clips cables and covers



Lewitt MTP840 DM

Dynamic Vocal microphone
Super Cardioid polar pattern
Active Boost
Lowcut filter



Lewitt MTP440 DM

Dynamic instrument microphone
Cardioid polar pattern



Lewitt MTP250 DM

Dynamic Vocal microphone
Cardioid polar pattern



Rode M5mp

Small diaphragm condenser microphone
Cardioid polar pattern
Matched Pair



Rode Classic II LE

Large diaphragm Studio Condenser microphone
Selectable polar patterns
Valve Microphone



JAG IMX6A Headset Microphone

Condenser vocal microphone
Omni polar pattern
Wired for Sennheiser EVO



Audio

Microphones (Wireless)

Sennheiser EW 500 G4

True diversity half-rack receiver

88MHz Bandwidth

32 Channels



Sennheiser EW 500 G3

True diversity half-rack receiver

88MHz Bandwidth

32 Channels



Sennheiser SKM 500 G4

Handheld Microphone Transmitter

Choice of 945 or 965 capsule



Sennheiser SKM 500 G3

Handheld Microphone Transmitter

Choice of 945 or 965 capsule



Sennheiser SK500 G4

Bodypack Transmitter



Sennheiser SK500 G3

Bodypack Transmitter



Audio

In Ear Monitoring (Wireless)

Sennheiser EW IEM G4 (A Band)

Half-rack Stereo Transmitter

42MHz Bandwidth

16 Channels

High RF Power (50mW)



Sennheiser EK IEM G4 (A Band)

Bodypack Receiver



Sennheiser AC 41

Active Antenna Combiner for EW G4



Sennheiser ADP UHF (470 - 1075 MHz)

Passive external directional Antenna





Audio

DI Boxes

Radial JDI

Passive DI box
Jensen Transformer



Radial J48

Active DI box
Jensen Transformer



Radial JPC

Active Stereo DI box for Laptop computers
Jensen Transformer
Multiple input connection types



Unika Pro 2

Passive Stereo DI Box
Choice of 945 or 965 capsule



Unika DI-BOX2

Active Stereo DI Box



Unika Pro USB

Passive Stereo DI Box with 2ch USB Audio Interface
Stereo



Bluetooth Receivers

Unika Pro BT5

Passive DI box with Bluetooth receiver
Stereo



Logitech Bluetooth Audio Adaptor

Stereo Bluetooth receiver
RCA and 3.5mm Jack Outputs





Audio

DJ Equipment

DJ Media Players

Pioneer CDJ 3000

Professional DJ Multi player
Rekordbox Compatible



Pioneer CDJ2000NXS2

Professional DJ Multi player
Rekordbox Compatible



Denon SC6000 Prime

Professional DJ Media Player
Dual Layer
Engine DJ



Denon SC5000 Prime

Professional DJ Media Player
Dual Layer
Engine DJ



DJ Mixers

Pioneer DJM900NXS2

4 Channel Club Mixer with FX
Rekordbox Compatible



Denon X1850 Prime

4 Channel Club Mixer with FX
5 port Network Hub



Denon X1800 Prime

4 Channel Club Mixer with FX
5 port Network Hub



Urei 1603

4 Channel All Analogue Club Mixer
Full Send Return FX Bus



Audio

DJ Equipment

Turntables and Stylus

Technics SL1200 MK2

Professional DJ Turntable
Direct Drive
Isonoe feet



Technics SL1200 MK5

Professional DJ Turntable
Direct Drive
Isonoe feet



Ortofon Concorde MKII Club Set

Set of 2 Concorde Cartridges and stylus



DJ Controllers

Denon MCX8000

4 Channel Serato Controller
Standalone operation
4 channel HW Mixer with FX



Novation Twitch

2 Channel Serato Controller



Audio

Cables

Balanced Audio Cable with 3pin XLR Connectors (mic leads)

- 1 metre
- 2 metre
- 3 metre
- 5 metre
- 10 metre
- 15 metre
- 20 metre



Balanced Audio Cable with TRS Connectors

- 1 metre
- 2 metre
- 3 metre
- 5 metre
- 10 metre
- 15 metre
- 20 metre



Balanced Audio Cable TRS to XLR M Connectors

- 1 metre
- 2 metre
- 3 metre
- 5 metre



Balanced Audio Cable TRS to XLR F Connectors

- 1 metre
- 2 metre
- 3 metre
- 5 metre



Audio

Cables

Unbalanced Audio Cable with TS Connectors (Instrument Leads)

1 metre
2 metre
3 metre
5 metre
10 metre
15 metre
20 metre



DJ Loom

4 way Loom with connections for club mixers
DJ Mixer end: 2 x XLR Female, 2 x TRS
Stage Box end: 4 x XLR Male
10 metre



NL4 Speaker Cable (4 x4mm)

0.5 metre
1 metre
1.5 metre
2 metre
5 metre
10 metre
15 metre
20 metre





Audio

Stands

Microphone Stand

Tall Boom
Short Boom
Short Boom Round base
Overhead
Straight
Straight (Round base)
Instrument Boom
Extra Low stand
Primacoustic Kick Stand



Speaker Stand Heavy Duty

Tripod Speaker stand
50kg Load rating



Speaker Stand Light Duty

Tripod Speaker stand
40kg Load rating



Speaker Pole Heavy Duty

Pole mount Speaker stand
50kg Load rating
M20 Thread



Speaker Pole Light Duty

Pole mount Speaker stand
40kg Load rating



Lighting

Moving Lights

Acme XA400 Spot Pro

Moving head spot
270W LED Source
8,000K
8° ~ 40° Zoom



Acme CM400Z

Moving Head Wash Beam
7 x 40W Osram RGBW LED
6° ~ 40° Zoom
Pixel Mappable



Static LED

Acme BL-100 RGBW 37°

LED wash Light
150W RGBW COB LED
Variable CTO: 2000K - 10000K
IP66



Acme BL-100 RGBW 15°

LED wash Light
150W RGBW COB LED
Variable CTO: 2000K - 10000K
IP66



ProShop LED Bloc Mini

LWD Wash Light
16 x 1W LEDs RGBW
40kg Load rating
10° Optics





Lighting

Static LED

100W LED Fresnel

Manual Zoom
CCT 2700K to 4500K
10° ~ 50° Zoom



260W LED Profile

3200K
5° ~ 50° Lens Options



Blinders

Sunstrip

10 cell blinder bar
75W GU10
Pixel Mappable



Duet

Dual 650W Blinder



4 Lite

4 way 650W Blinder



Lighting

Smoke and Haze

DJ Power H-3

Water based Haze
Integrated flight case



Antari M7RGBA

High Output Smoke Jet with RGBA LED



Antari ICE-101

Low Fog Machine
Water based
Uses Ice tray to cool fog





Lighting

Lighting Control

ChamSys MagicQ Stadium Connect

PC Based Lighting Control surface

64 Universes

10 Motorised Faders

10 Execute playbacks with rotary encoders



Chamsys MagicQ MIDI/TC Interface

Midi Time code interface

Unlocks full version of MagicQ PC



Enttec DMX USB Pro 2

2 universe USB DMX Interface



Obsidian Netron EN12

12 Port ArtNet /sACN Node



Acme EN28

8 Port ArtNet /sACN Node



Lumen Radio Arora

Wireless DMX Transceiver with Bluetooth and WiFi



Lumen Radio Luna

Wireless DMX Transceiver with Bluetooth





Vision

Vision Mixers

Blackmagic Design ATEM Mini

4 input vision mixer
Live streaming



Blackmagic Design ATEM Television Studio 4K8

8 input Ultra HD SDI switcher



Media Servers

Arkaos Grand VJ XT

VJ software with video mapping



Arkaos Media Master

48 Layer Professional Media server



Format Converters

Blackmagic Design HDMI – SDI Micro

HDMI to SDI Converter



Blackmagic Design SDI – HDMI Micro

SDI to HDMI converter



Decimator MD-HX

HDMI/SDI Cross converter
Scaling and Frame Rate conversion



Vision

Cameras

Blackmagic Design Micro Studio Camera 4K

4K Camera with HDMI and SDI

G2 version



Camera Accessories

BlackMagic Design Zoom Demand

Zoom control for active lenses on BMD Cameras

BlackMagic Design Focus Demand

Focus control for active lenses on BMD Cameras



Camera Lenses

PANASONIC LUMIX GX Vario Power Zoom Lens,

45-175MM, F4.0-5.6

PANASONIC LUMIX GX Vario Power Zoom Lens,

14-42MM, F3.5-5.6 ASPH



Monitoring and Recording

Blackmagic Design Video Assist 12G HDR 7"





Vision

Displays

LCD/LED TV Displays

55"

65"

75"

85"





Truss and Rigging

Truss

300mm Tri Truss

Straight Sections - 0.5m to 3m
Corner sections. (Apex Down)

300mm Box Truss

Straight Sections - 0.5m to 3m
Corner sections.

400mm Box Truss

Straight Sections - 0.5m to 3m
Corner sections.

Baseplate

1m Circular Base plate
300mm Box and Tri fittings

Chain Blocks and Motors

1T chain Block

Up to 6m fall

Chain Motor

250kg, 500kg, 1000kg, 2000kg
Up to 20m Fall

Rigging accessories

Slings

Various lengths and load ratings

Shackles

Various Load Ratings
D and Bow shapes



Staging

Stage Decks

2400 x1200mm Stage deck

300, 600, 900mm Legs

1200 x1200mm Stage deck

300, 600, 900mm Legs

DJ Riser

1800mm x 600mm

900mm Rolling legs

Stage Steps

300, 600, 900mm

Hand Rails

Drapes and Skirts

Stage Skirts

300, 600, 900mm drop

Various lengths

Stage Drapes

Up to 9m drop

Various Lengths

Drape Poles

Up to 6m height

Various Lengths

Ops surround

1.5 height

Various Lengths



Power

Power Distribution

LSC APS 12/10A

10 x 10Amp 240V outlets

32A 3phase input

DMX Control

LSC Powerpoint PWP6/20

6 x 20Amp circuits

6 x 20Amp Sockets

6 x 15Amp sockets

3Phase Power Cables

3Phase Cable

32A 5pin Wilco 5m

32A 5pin Wilco 10m

32A 5pin Wilco 20m

32A 5pin Wilco 30m

32A 5pin Wilco 50m

3Phase Adaptors

20A - 32A Adaptor

20A - 32A 5pin Wilco adaptor cable 5m

32A - 2x32A Adaptor

32A - 2x 32A 5pin Wilco Splitter



Power

Single Phase Power cables

Australian 240V 10A

Piggyback Extension Lead 1m
Piggyback Extension Lead 2m
Piggyback Extension Lead 3m
Piggyback Extension Lead 5m
Piggyback Extension Lead 10m
Piggyback Extension Lead 15m
Piggyback Extension Lead 20m
Piggyback Extension Lead 30m

Powercon True1

Powercon True1 Extension Lead 1m
Powercon True1 Extension Lead 2m
Powercon True1 Extension Lead 3m
Powercon True1 Extension Lead 5m
Powercon True1 Extension Lead 10m
Powercon True1 Extension Lead 15m
Powercon True1 Extension Lead 20m
Powercon True1 Extension Lead 30m

Powercon

Powercon Extension Lead 1m
Powercon Extension Lead 2m
Powercon Extension Lead 3m
Powercon Extension Lead 5m
Powercon Extension Lead 10m



Safety Equipment

Cable Covers

Cablesafe CS04i

Lightweight cable ramp

Cablesafe CS08i

Single channel drop over cable guard

Cablesafe CS02iPL

Dual channel Heavy duty cable ramp